

Attorney's Docket No.: 12758-060US1 Client Ref. No.: 1998P01205WOUS

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Ludwig Schweiger

Art Unit: 2663 Examiner: Derrick W. Ferris Patent No.: 6,870,853

Issue Date: March 22, 2005 Serial No.: 09/622,564

: August 18, 2000 Filed

: DEVICE AND METHOD FOR CONVERTING DATA SEQUENCES Title

BETWEEN FR FORMAT AND ATM FORMAT

Certificate

Attn.: Certificate of Corrections Branch

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

JUL 2 5 2005

of Correction

TRANSMITTAL OF REQUEST FOR CERTIFICATE OF CORRECTION

Applicant hereby requests that a certificate of correction be issued for the above patent in accordance with the attached request.

All errors sought to be corrected were made in printing by the Patent and Trademark Office, and no fee is believed to be due.

Please apply any charges or credits to Deposit Account No. 06-1050.

Fish & Richardson P.C. 225 Franklin Street Boston, MA 02110

Telephone: (617) 542-5070 Facsimile: (617) 542-8906

21124380.doc

Respectfully submitted,

Paul A. Pysher Reg. No. 40,780

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Denise M. Donahue

Typed or Printed Name of Person Signing Certificate

Staple Here Only

United States Patent and Trademark Office CERTIFICATE OF CORRECTION

PATENT No. : 6,870,853

DATED : MARCH 22, 2005

INVENTOR : LUDWIG SCHWEIGER

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 5, line 1 reads "readin"; replace with -reading-in--.

MAILING	ADDRESS	OF SENDER:
IVIAILIIVO	MUDICUS.	OF OFINDER.

Paul A. Pysher

PATENT No. <u>US 6,870,853</u>

No. of add'l copies

Fish & Richardson P.C. 225 Franklin Street

Boston, MA 02110

2 7 2005